

SprintRay ProWash®

Multistage Automated Washing System Designed for Digital Dentistry

Technical Specifications December 2024

Washing Technology	Patented Mechanical Jetting Technology Automatic 2-stage wash and dry cycle		
Solvent Management	Solvent usage tracking software Automatic reminders for replacement Onboard instructions for solvent management Capacitive solvent level sensors		
Wash Volume/Envelop	Platform Envelope 7 x 5 x 3 in. 17 x 12.7 x 7.6 cm	Basket Envelope 7 x 5 x 5 in. 17 x 12.7 x 12.7 cm	
Solvent Capacity	Min 500 mL per reservoir Max 2 L per reservoir		
Solvent Compatibility	Isopropyl alcohol 91% (recommended) Isopropyl alcohol 99%		
Material and Finish	High impact UV-blocking polypropylene Anodized aluminum shell Rubberized feet		
User Controls	5 inch touchsreen computer Predefined wash cycle for most resins User-programmable custom wash cycles		
Safety Sensors	Automatic start/stop sensors Platform vs basket detection Fill level sensor		
Connectivity	Dual band 2.4/5 GHz Wi-Fi chipset Local network via ethernet cable USB-C port		
Unit Dimensions (W x D x H)	12 x 12 x 18 in. 30 x 30 x 46 cm		
Shipping Weight & Dimensions	14 x 14 x 20 in. 36 x 36 x 50 cm 45 lbs. / 20.4 kg		
Dewer Derwinement	100-240 V (via DC adapter)		

Power Requirement 100-240 V. (via DC adaptor)





